

Worksheet	Column Name	Download Details	Upload Details	Input Data Expected	Remarks
Sections	ObjectType*	It contains the Object Type to which the Section is mapped.	It is a mandatory field. If it is left empty, the template will not update any details of the Custom Field that the user inserts into the template.	A valid object type should be entered	
Sections	SectionId	It contains the SectionId of	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Section ID should be entered	Each Section ID is unique
Sections	SectionName*	It contains the Section Name of the Section	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Section Name should be entered.	
Sections	Viewable	It displays whether the Section	It can be empty. If it is not empty, Viewable value will be updated for the Section	Users must input one of the valid options: Yes, No	
Sections	Action*	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must enter one of the following valid actions to update or add metadata for the Custom Field: Add, Modify, Delete, No Action.	For the Action options - Add: Add is used to add a new Section Modify: The Modify option is used to modify and update the metadata of the Sections. It also factors in the Load Metadata Configurations while uploading. Delete: This option can be used by the users to delete a Custom Section No Action: If users set this as the option and upload, any input metadata change will be ignored.
Text Custom Field	ObjectType*	It contains the Object Type of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid object type should be entered	
Text Custom Field	Is Global*	It defines whether the Custom Field is a Global Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	

Text Custom Field	Connectors/Domain	It contains the Connector/Domain of the Custom Field if the Custom Field is not a Global Custom Field	If the Custom Field is not a Global Custom Field, it is mandatory for Data Catalog and Business Glossary objects. If it is left empty, the template will not update any metadata. For other object types or if Custom field is Global, it can be empty. Even if it is not empty, it is ignored during upload	A valid Connector/Domain name should be entered	
Text Custom Field	CustomFieldId	It contains the ID of the Custom Field	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Custom Field ID should be entered	Each Custom Field ID is
Text Custom Field	CustomFieldName*	It contains the Custom Field Name	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Custom Field Name should be entered	Custom Field Name should
Text Custom Field	Help Text*	It contains the Help Text of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Help Text should be entered	Help Text should be within
Text Custom Field	Description	It contains the Description of the Custom Field	It can be empty. If it is not empty, Description will be updated for the Section	A valid Description should be entered	Description should be within
Text Custom Field	Sections	It contains the Section of the Custom Field	For Data Catalog object types and Tags (except Codes), it is a mandatory field. If it is left empty, the template will not update the metadata. For other object types, it can be empty. Even if it is not empty, it is ignored during upload	A valid Section name should be entered	
Text Custom Field	Editable In UI	It defines whether the Custom Field is editable in UI	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Text Custom Field	Editable Through API	It defines whether the Custom Field is editable through API	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Text Custom Field	Editable Through Load	It defines whether the Custom Field is editable through Load MetaData	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Text Custom Field	Viewable*	It defines whether the Custom Field is Viewable in UI	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Text Custom Field	Column	It contains the ColumnID of the Custom Field that exists in the database for the object	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Column should be entered	

Text Custom Fiel	Action*	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It is a mandatory field. If it is left empty, the template will not update any metadata.</p>	<p>Users must enter one of the following valid actions to update or add metadata for the Custom Field: Add, Modify, Delete, No Action.</p>	<p>For the Action options - Add: Add is used to add a new Custom Field Modify: The Modify option is used to modify and update the metadata of the Custom Field. It also factors in the Load Metadata Configurations while uploading. Delete: This option can be used by the users to delete a Custom Field No Action: If users set this as the option and upload, any input metadata change will be ignored.</p>
Text Custom Fiel	Action Status	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It can be empty. Even if it is not empty, it is ignored during upload.</p>	<p>Not Required</p>	

Text Custom Field	Action Success Message	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Text Custom Field	Action Failure Message	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Code Custom Field	ObjectType*	It contains the Object Type of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid object type should be entered	
Code Custom Field	Is Global*	It defines whether the Custom Field is a Global Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Code Custom Field	Connectors/Domain	It contains the Connector/Domain of the Custom Field if the Custom Field is not a Global Custom Field	If the Custom Field is not a Global Custom Field, it is mandatory for Data Catalog and Business Glossary objects. If it is left empty, the template will not update any metadata. For other object types or if Custom field is Global, it can be empty. Even if it is not empty, it is ignored during upload	A valid Connector/Domain name should be entered	

Code Custom Field	CustomFieldId	It contains the ID of the Custom Field	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Custom Field ID should be entered	Each Custom Field ID is
Code Custom Field	CustomFieldName*	It contains the Custom Field Name	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Custom Field Name should be entered	Custom Field Name should
Code Custom Field	Help Text*	It contains the Help Text of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Help Text should be entered	Help Text should be within
Code Custom Field	Description	It contains the Description of the Custom Field	It can be empty. If it is not empty, Description will be updated for the Section	A valid Description should be entered	Description should be within
Code Custom Field	Sections	It contains the Section of the Custom Field	For Data Catalog object types and Tags (except Codes), it is a mandatory field. If it is left empty, the template will not update the metadata. For other object types, it can be empty. Even if it is not empty, it is ignored during upload	A valid Section name should be entered	
Code Custom Field	Options	It contains the options of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid option should be entered	Options should be within Ensure that the options d Connect with admin to id
Code Custom Field	Editable In UI	It defines whether the Custom Field is editable in UI	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Code Custom Field	Editable Through API	It defines whether the Custom Field is editable through API	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Code Custom Field	Editable Through Load	It defines whether the Custom Field is editable through Load MetaData	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Code Custom Field	Viewable	It defines whether the Custom Field is Viewable in UI	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Code Custom Field	Allow Multiple Values	It defines whether Multiple Values are available for selection for the Custom Field at the object level	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Code Custom Field	Column	It contains the ColumnID of the Custom Field that exists in the database for the object	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Column should be entered	

Code Custom Field	Action*	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It is a mandatory field. If it is left empty, the template will not update any metadata.</p>	<p>Users must enter one of the following valid actions to update or add metadata for the Custom Field: Add, Modify, Delete, No Action.</p>	<p>For the Action options - Add: Add is used to add a new Custom Field Modify: The Modify option is used to modify and update the metadata of the Custom Field. It also factors in the Load Metadata Configurations while uploading. Delete: This option can be used by the users to delete a Custom Field No Action: If users set this as the option and upload, any input metadata change will be ignored.</p>
Code Custom Field	Action Status	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It can be empty. Even if it is not empty, it is ignored during upload.</p>	<p>Not Required</p>	

Code Custom Field	Action Success Message	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Code Custom Field	Action Failure Message	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Number Custom Field	ObjectType*	It contains the Object Type of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid object type should be entered	
Number Custom Field	Is Global*	It defines whether the Custom Field is a Global Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Number Custom Field	Connectors/Domain	It contains the Connector/Domain of the Custom Field if the Custom Field is not a Global Custom Field	If the Custom Field is not a Global Custom Field, it is mandatory for Data Catalog and Business Glossary objects. If it is left empty, the template will not update any metadata. For other object types or if Custom field is Global, it can be empty. Even if it is not empty, it is ignored during upload	A valid Connector/Domain name should be entered	

Number Custom	CustomFieldId	It contains the ID of the Custom Field	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Custom Field ID should be entered	Each Custom Field ID is
Number Custom	CustomFieldName*	It contains the Custom Field Name	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Custom Field Name should be entered	Custom Field Name should
Number Custom	Help Text*	It contains the Help Text of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Help Text should be entered	Help Text should be within
Number Custom	Description	It contains the Description of the Custom Field	It can be empty. If it is not empty, Description will be updated for the Section	A valid Description should be entered	Description should be within
Number Custom	Sections	It contains the Section of the Custom Field	For Data Catalog object types and Tags (except Codes), it is a mandatory field. If it is left empty, the template will not update the metadata. For other object types, it can be empty. Even if it is not empty, it is ignored during upload	A valid Section name should be entered	
Number Custom	Editable In UI	It defines whether the Custom Field is editable in UI	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Number Custom	Editable Through API	It defines whether the Custom Field is editable through API	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Number Custom	Editable Through Load	It defines whether the Custom Field is editable through Load Metadata	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Number Custom	Viewable	It defines whether the Custom Field is Viewable in UI	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Number Custom	Column	It contains the ColumnID of the Custom Field that exists in the database for the object	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Column should be entered	

Number Custom	Action*	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It is a mandatory field. If it is left empty, the template will not update any metadata.</p>	<p>Users must enter one of the following valid actions to update or add metadata for the Custom Field: Add, Modify, Delete, No Action.</p>	<p>For the Action options - Add: Add is used to add a new Custom Field Modify: The Modify option is used to modify and update the metadata of the Custom Field. It also factors in the Load Metadata Configurations while uploading. Delete: This option can be used by the users to delete a Custom Field No Action: If users set this as the option and upload, any input metadata change will be ignored.</p>
Number Custom	Action Status	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It can be empty. Even if it is not empty, it is ignored during upload.</p>	<p>Not Required</p>	

Number Custom	Action Success Mes	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Number Custom	Action Failure Mess	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Date Custom Fie	ObjectType*	It contains the Object Type of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid object type should be entered	
Date Custom Fie	Is Global*	It defines whether the Custom Field is a Global Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Date Custom Fie	Connectors/Domair	It contains the Connector/Domain of the Custom Field if the Custom Field is not a Global Custom Field	If the Custom Field is not a Global Custom Field, it is mandatory for Data Catalog and Business Glossary objects. If it is left empty, the template will not update any metadata. For other object types or if Custom field is Global, it can be empty. Even if it is not empty, it is ignored during upload	A valid Connector/Domain name should be entered	

Date Custom Field	CustomFieldId	It contains the ID of the Custom Field	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Custom Field ID should be entered	Each Custom Field ID is
Date Custom Field	CustomFieldName*	It contains the Custom Field Name	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Custom Field Name should be entered	Custom Field Name should
Date Custom Field	Help Text*	It contains the Help Text of the Custom Field	It is a mandatory field. If it is left empty, the template will not update any metadata.	A valid Help Text should be entered	Help Text should be within
Date Custom Field	Description	It contains the Description of the Custom Field	It can be empty. If it is not empty, Description will be updated for the Section	A valid Description should be entered	Description should be within
Date Custom Field	Sections	It contains the Section of the Custom Field	For Data Catalog object types and Tags (except Codes), it is a mandatory field. If it is left empty, the template will not update the metadata. For other object types, it can be empty. Even if it is not empty, it is ignored during upload	A valid Section name should be entered	
Date Custom Field	Editable In UI	It defines whether the Custom Field is editable in UI	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Date Custom Field	Editable Through API	It defines whether the Custom Field is editable through API	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Date Custom Field	Editable Through Load	It defines whether the Custom Field is editable through Load Metadata	It can be empty. User can select one of the options to update the metadata for the Custom Field.	Users must input one of the valid options: Yes, No	
Date Custom Field	Viewable	It defines whether the Custom Field is Viewable in UI	It is a mandatory field. If it is left empty, the template will not update any metadata.	Users must input one of the valid options: Yes, No	
Date Custom Field	Column	It contains the ColumnID of the Custom Field that exists in the database for the object	It can be empty. Even if it is not empty, it is ignored during upload.	A valid Column should be entered	

Date Custom File	Action*	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It is a mandatory field. If it is left empty, the template will not update any metadata.</p>	<p>Users must enter one of the following valid actions to update or add metadata for the Custom Field: Add, Modify, Delete, No Action.</p>	<p>For the Action options - Add: Add is used to add a new Custom Field Modify: The Modify option is used to modify and update the metadata of the Custom Field. It also factors in the Load Metadata Configurations while uploading. Delete: This option can be used by the users to delete a Custom Field No Action: If users set this as the option and upload, any input metadata change will be ignored.</p>
Date Custom File	Action Status	<p>If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.</p>	<p>It can be empty. Even if it is not empty, it is ignored during upload.</p>	<p>Not Required</p>	

Date Custom File	Action Success Message	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	
Date Custom File	Action Failure Message	If users are downloading the template to upload metadata, the field will appear empty. However, if they are downloading the same template provided by the application immediately after uploading, it will display as Success or Failure, depending on the execution status of the action.	It can be empty. Even if it is not empty, it is ignored during upload.	Not Required	